

Suvari Arms

HUNTING, SHOOTING AND DEFENSE CATALOG



2021

INDEX



Over & Under

2 - 13



Beagle Sport Series

14 - 15



Semi-Auto & Hunting Pump

16 - 31



Defense & Law Enforcement

32 - 39

MATIS WHITE

MATIS WHITE



MW-0001



MW-0002



MW-0003

GAUGE	BARREL LENGTH	SYSTEM	OVERALL LENGTH	CHOKE	RECEIVER
12 / 16 / 20 / 28 / 36	66 cm / 26 inch - 71 cm / 28 inch 76 cm / 30 inch	Ejector/ Extractor	115 cm / 45.3 inch (71 cm Barrel)	Mobile Choke	Steel
LENGTH OF PULL	DROP OF COMB	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	3.8 mm / 0.15 inch	76 mm / 3 inch	12 : 3.5 kg / 16 : 3.15 kg / 20 : 3.1 kg / 28 : 3 kg / 36 : 2.7 kg	Shiny Varnished Turkish Walnut/ Matt	



MATIS

MATIS BLACK

MATIS BLACK



MB-0001



MB-0002

GAUGE	BARREL LENGTH	SYSTEM	OVERALL LENGTH	CHOKE	RECEIVER
12 / 16 / 20 / 28 / 36	66 cm / 26 inch - 71 cm / 28 inch 76 cm / 30 inch	Ejector/ Extractor	115 cm / 45.3 inch (71 cm Barrel)	Mobile Choke	Steel
LENGTH OF PULL	DROP OF COMB	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	3.8 mm / 0.15 inch	76 mm / 3 inch	12 : 3.5 kg / 16 : 3.15 kg / 20 : 3.1 kg / 28 : 3 kg / 36 : 2.7 kg	Shiny Varnished Turkish Walnut/ Matt	



ALTIS

ALTIS WHITE

ALTIS WHITE



AW-0001



AW-0002



AW-0003



AW-0004



AW-0005

GAUGE	BARREL LENGTH	SYSTEM	OVERALL LENGTH	CHOKE	RECEIVER
12 / 16 / 20 / 28 / 36	66 cm / 26 inch - 71 cm / 28 inch 76 cm / 30 inch	Manual / Extractor	115 cm / 45.3 inch (71 cm Barrel)	Mobile Choke	Aluminum
LENGTH OF PULL	DROP OF COMB	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	3.8 mm / 0.15 inch	76 mm / 3 inch	12 : 3 kg / 16 : 2.65 kg / 20 : 2.8 kg / 28 : 2.6 kg / 36 : 2.4 kg	Shiny Varnished Turkish Walnut/ Matt	

ALTIS

ALTIS BLACK

ALTIS BLACK



AB-0001




AB-0002



AB-0003



AB-0004



AB-0005

GAUGE	BARREL LENGTH	SYSTEM	OVERALL LENGTH	CHOKE	RECEIVER
12 / 16 / 20 / 28 / 36	66 cm / 26 inch - 71 cm / 28 inch 76 cm / 30 inch	Manual / Extractor	115 cm / 45.3 inch (71 cm Barrel)	Mobile Choke	Aluminum
LENGTH OF PULL	DROP OF COMB	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	3.8 mm / 0.15 inch	76 mm / 3 inch	12 : 3 kg / 16 : 2.65 kg / 20 : 2.8 kg / 28 : 2.6 kg / 36 : 2.4 kg	Shiny Varnished Turkish Walnut/ Matt	

ALTIS



Beagle

BEAGLE *Beagle*



BEAGLE-I



BEAGLE-IV



BEAGLE-II



BEAGLE-V



BEAGLE-III



BEAGLE-VI

GAUGE	BARREL LENGTH	SYSTEM	OVERALL LENGTH	CHOKE	RECEIVER
12 / 20	66 cm / 26 inch - 71 cm / 28 inch 76 cm / 30 inch	Ejector/ Extractor	115 cm / 45.3 inch (71 cm Barrel)	Mobile Choke	Hand Engraved Hammering Steel
LENGTH OF PULL	DROP OF COMB	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	3.8 mm / 0.15 inch	76 mm / 3 inch	3.2 kg	Turkish Walnut Stock	

GAUGE	BARREL LENGTH	SYSTEM	OVERALL LENGTH	CHOKE	RECEIVER
12 / 20	66 cm / 26 inch - 71 cm / 28 inch 76 cm / 30 inch	Ejector/ Extractor	115 cm / 45.3 inch (71 cm Barrel)	Mobile Choke	Hand Engraved Hammering Steel
LENGTH OF PULL	DROP OF COMB	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	3.8 mm / 0.15 inch	76 mm / 3 inch	3.2 kg	Turkish Walnut	

BEAGLE

Beagle Sport



BSP-0001



BSP-0002



BSP-0003



BSP-0004



BSP-0005

GAUGE	BARREL LENGTH	SYSTEM	OVERALL LENGTH	CHOKE	RECEIVER
12 / 20	66 cm / 26 inch - 71 cm / 28 inch 76 cm / 30 inch	Ejector/ Extractor	115 cm / 45.3 inch (71 cm Barrel)	Mobile Choke	Steel
LENGTH OF PULL	DROP OF COMB	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	3.8 mm / 0.15 inch	76 mm / 3 inch	12 : 3 kg / 20 : 2.8 kg /	Turkish Walnut Stock	

BEAGLE

IMAX



IM-200



IB-200



I-DELUXE

Engraved
Aluminium Receiver



W



S



I-CAMO

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	66 cm / 26 inch - 71 cm / 28 inch - 76 cm / 30 inch	123 cm / 48.4 inch (71 cm Barrel)	Mobile Choke	Aluminum

LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK
36.5 cm / 14.3 inch	76 mm / 3 inch	3.2 kg	Shiny Varnished Turkish Walnut/ Matt

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	66 cm / 26 inch - 71 cm / 28 inch - 76 cm / 30 inch	123 cm / 48.4 Inch (71 cm Barrel)	Multi Long Choke	Aluminum

LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK
36.5 cm / 14.3 inch	76 mm / 3 inch	W : 3.2 kg / S : 3 kg	Turkish Walnut / Synthetic

IMAX



SLUG-W



COMBO-W



SLUG-S



COMBO-S

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	61 cm / 24 inch	113 cm / 44.5 inch	Fixed Cylinder	Aluminum

LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK
36.5 cm / 14.3 inch	76 mm / 3 inch	W : 2.9 kg / S : 2.8 kg	Turkish Walnut / Synthetic

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	61 cm / 24 inch	123 cm / 48.4 inch (71 cm Barrel)	Mobile Choke	Aluminum

LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK
36.5 cm / 14.3 inch	76 mm / 3 inch	W : 3.2 kg / S : 2.8 kg	Shiny Varnished Turkish Walnut/ Matt / Synthetic

IMAX



COLOR X BRONZE



SCAMO G-1



COLOR X GREEN



SCAMO G-2

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	61 cm / 24 inch	123 cm / 48.4 inch (71 cm Barrel)	Mobile Choke	Cerakote Coated Aluminium

LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK
36.5 cm / 14.3 inch	76 mm / 3 inch	3.2 kg	Shiny Varnished Turkish Walnut/ Matt

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	61 cm / 24 inch	123 cm / 48.4 inch (71 cm Barrel)	Mobile Choke	Aluminum

LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK
36.5 cm / 14.3 inch	76 mm / 3 inch	3 kg	Cerakote Coated Synthetic

LANCERO



LANCERO WALNUT

Inertia System requires no outlet for gas or barrel recoil, but operates by means of a spring that is freely interposed between the bolt head and the bolt.



Inertia operation is based on the basic principle of inertia utilizing the kinetic energy created by the projection of the fired cartridge within an unvented barrel.



Standard for CIP countries

DROP OUT TRIGGER SYSTEM

The trigger mechanism can be easily detached from the bottom of the receiver simply by removing one steel pin. This allows the complete trigger system to be taken out for easy cleaning and then equally quickly re-assembled. Nothing could be simpler in order to keep your LANCERO in excellent working condition. A cross bolt safety button located at the rear of trigger guard is quick and easy to operate.

LANCERO is an inertia operated semi-automatic shotgun designed using the latest technology, which combined with Suvari's considerable experience, results in a gun whose performance is as good as its appearance is pleasing to the eye. The LANCERO inertia system is simple and comprises of only three primary parts: the bolt body, the inertia spring and the rotating bolt head. Simple is better.

With a greatly reduced mass of parts the inertia system can cycle faster. Gas, burnt powder and other residues remain in the barrel where they belong, rather than being channelled into the gun's mechanism, as they are in gas system.

The strong steel locking lugs of the inertia system's rotating bolt head ensure the tightest possible lock up between the bolt and the barrel. The bolt head's rotating lugs not only lock steel to steel into the gun's barrel but the lugs lock in even tighter during firing. With the inertia system being much cleaner in operation, cleaning the LANCERO takes only a fraction of the time it can take to clean a gas operated gun.

Not only is the inertia system incredibly simple, it's also light in weight; this allows LANCERO shotguns to be some of the lightest semi-automatic shotguns ever produced. With no springs, action bar linkage or heavy under barrel gas cylinder inside the forend, inertia system shotguns balance like a fine game gun should.

TECHNICAL SPECIFICATIONS LANCERO

MODEL	GAUGE	CHAMBER	BARREL LENGTH	RIB	CHOKE	CAPACITY	STOCK	WEIGHT
LANCERO WALNUT	12	3" (76 MM)	71CM (28")	8 MM	F, IM, M, IC, SK	4+1	TURKISH WALNUT, OIL FINISHED	3.1 kg (6.8 lbs)*
LANCERO SYNTHETIC	12	3" (76 MM)	71CM (28")	8 MM	F, IM, M, IC, SK	4+1	SYNTHETIC	3.2 kg (7 lbs)

LIGHT ALLOY RECEIVER

The LANCERO receiver is CNC machined from aircraft grade aluminium alloy to reduce overall weight and enhance the handling characteristics. All receivers have grooves machined into their top surface to allow for scope mounting.

PERFECT BALANCED BARREL

Lancero's barrels emerge after processing 7000 series steel with high technology. All parts are welded with silver in special bakery ovens. With its specially designed mobile chokes, it enables best groupment and shooting performance

COATING OPTIONS

The Lancero has various cerakote and camo options.

HARD CASE

Also there is special designed hard case option for Lancero to carry and use your shotgun in every situation.

RED MAGAZINE CAP

Red magazine cap showing the magazine tube unloaded.



LANCERO LANCERO



LANCERO WALNUT



LANCERO *BOTTOMLAND*



LANCERO SYNTHETIC



LANCERO *TURKEY*



LANCERO CAMO MAX5

LANCERO



Hard Case
Options

LANCERO

PUMP ACTION

SV-300



WOODEN



SYNTHETIC



MARINE

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12 / 20	66 cm / 26 Inch - 71 cm / 28 Inch - 76 cm / 30 Inch	123 cm / 48.4 inch (71 cm Barrel)	Mobile Choke	Aluminum
LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	76 mm / 3 inch	2.9 kg - 3 kg	Marine / Turkish Walnut / Synthetic	

PUMP ACTION

SV-300



SYNTHETIC - M



CAMO - G1

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12 / 20	66 cm / 26 Inch - 71 cm / 28 Inch - 76 cm / 30 Inch	122 cm / 48 inch (71 cm Barrel)	Mobile Choke	Aluminum
LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	76 mm / 3 inch	3.2 kg	Synthetic	

PUMP ACTION

SV-300



SYNETHETIC PST

Adjustable Stock



SYNETHETIC PST A1



SYN CAMO PST

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	66 cm / 26 Inch - 71 cm / 28 Inch - 76 cm / 30 Inch	123 cm / 48.4 inch (71 cm Barrel)	Mobile Choke	Aluminum
LENGHT OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	76 mm / 3 inch	2.9 kg - 3 kg	Synthetic	

PUMP ACTION

SV-300



S300-BLACK



S300-MARINE



S300-BRONZ

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12 / 20	47cm / 18,50 Inch 51 cm / 20 Inch 66 cm / 26 Inch	102 cm / 41 inch (51 cm Barrel)	Cylinder	Aluminum
LENGHT OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	76 mm / 3 inch	3.2 kg	Synthetic	



ON-001



ON-002



OG-0001



OG-0002

Adjustable
Stock



OG-0003

GAUGE	BARREL LENGTH	SYSTEM	OVERALL LENGTH	CHOKE	RECEIVER
12 / 16 / 20 / 28 / 36	66 cm / 26 inch - 71 cm / 28 inch 76 cm / 30 inch	Break Action	107 cm / 42.12 inch (71 cm Barrel)	Mobile Choke	Aluminum
LENGTH OF PULL	DROP OF COMB	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.3 inch	3.8 mm / 0.15 inch	76 mm / 3 inch	12 : 2,9 kg / 16 : 2.60 kg / 20 : 2.8 kg	Turkish Walnut / Synthetic	

TACTICAL SERIES

DA GGER



SEMI-AUTO

L



SEMI-AUTO

X



SEMI-AUTO

XM

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	47 cm / 18.5 Inch - 51 cm / 20 Inch	109 cm / 42.9 inch (47 cm Barrel)	Mobile Choke	Aluminum

LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK
36.5 cm / 14.3 inch	76 mm / 3 inch	3 kg	Synthetic

PUMP ACTION

DA GGER



PUMP ACTION

L



PUMP ACTION

XM



PUMP ACTION

X



PUMP ACTION / TACTICAL STOCK

X-TAC

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	47 cm / 18.5 Inch - 51 cm / 20 Inch	109 cm / 42.9 inch (47 cm Barrel)	Mobile Choke	Aluminum

LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK
36.5 cm / 14.3 inch	76 mm / 3 inch	3 kg - 3.1 kg	Synthetic

RMS PRO



PRO - BLACK



PRO - CARMINE

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	47 cm / 18.5 Inch - 51 cm / 20 inch	93 cm / 36.6 inch - 101 cm / 39.7 inch	Tactical Choke	Aluminum
LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK	
31 cm / 12.2 inch	76 mm / 3 inch	3.8 kg	Synthetic	



RMS PRO

PRO

Performance

RMS



RM-12



GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	47 cm / 18.5 Inch - 51 cm / 20 inch	109 cm / 42.9 inch - 114 cm / 44.8 inch	Tactical Choke	Aluminum
LENGHT OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK	
36.5 cm / 14.8 inch	76 mm / 3 inch	3.2 kg	Synthetic	

VIPER

VIPER



VIPER BLACK



VIPER BRONZ



VIPER STAR WARS



VIPER CARMINE

GAUGE	BARREL LENGTH	OVERALL LENGTH	CHOKE	RECEIVER
12	47 cm / 18.5 Inch - 51 cm / 20 inch	86 cm / 34 inch	Mobile Choke	Polymer
LENGTH OF PULL	CHAMBER	AVERAGE WEIGHT	STOCK	
46 cm / 18 inch	76 mm / 3 inch	3.2 kg	Synthetic	

NOTES



SUVARI SİLAH SANAYİ

Beyşehir / Konya /TURKEY

E-Mail: export@suvariarms.com

Phone: +90 532 623 15 54

www.suvariarms.com